

# Safety data sheet

Page: 1/9

BASF Safety data sheet

Date / Revised: 12.03.2016

Product: **MasterTop 1200 PART A**

Version: 2.0

(30586685/SDS\_GEN\_AU/EN)

Date of print 13.03.2016

## 1. Substance/preparation and manufacturer/supplier identification

### MasterTop 1200 PART A

Use: Product for construction chemicals

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:

Skin corrosion/irritation: Cat. 2

Serious eye damage/eye irritation: Cat. 2A

Skin sensitization: Cat. 1

Hazardous to the aquatic environment - acute: Cat. 2

Hazardous to the aquatic environment - chronic: Cat. 2

Label elements and precautionary statement:

Pictogram:



Signal Word:  
 Warning

**Hazard Statement:**

Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**Precautionary Statements (Prevention):**

Wear protective gloves. Avoid release to the environment. Wear eye/face protection. Do not breathe dust/gas/mist/vapours. Contaminated work clothing should not be allowed out of the workplace. Wash with plenty of water and soap thoroughly after handling.

**Precautionary Statements (Response):**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Collect spillage.

**Precautionary Statements (Disposal):**

Dispose of contents/container to hazardous or special waste collection point.

**Other hazards which do not result in classification:**

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

### 3. Composition/information on ingredients

#### Chemical nature

Preparation based on: resin, additives

#### Hazardous ingredients

##### Benzyl alcohol

Content (W/W):  $\geq 5\%$  -  $< 15\%$   
 CAS Number: 100-51-6

Flam. Liq.: Cat. 4  
 Acute Tox.: Cat. 4 (oral)  
 Acute Tox.: Cat. 4 (Inhalation - mist)  
 Acute Tox.: Cat. 4 (dermal)  
 Eye Dam./Irrit.: Cat. 2A  
 Aquatic Acute: Cat. 3

##### Distillates (petroleum), hydrotreated light

Content (W/W):  $\geq 0.3\%$  -  $< 3\%$   
 CAS Number: 64742-47-8

Asp. Tox.: Cat. 1  
 Skin Corr./Irrit.: Cat. 2  
 STOT SE: Cat. 3 (drowsiness and dizziness)  
 Aquatic Acute: Cat. 2  
 Aquatic Chronic: Cat. 2

Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

BASF Safety data sheet  
Date / Revised: 12.03.2016  
Product: **MasterTop 1200 PART A**

Version: 2.0

(30586685/SDS\_GEN\_AU/EN)

Date of print 13.03.2016

Content (W/W): $\geq 10\%$ - $< 25\%$	Skin Corr./Irrit.: Cat. 2
CAS Number: 68609-97-2	Skin Sens.: Cat. 1

Reaction product: bisphenol-A-(epichlorhydrin)-Epoxy resin (number average molecular weight  $\leq 700$ )

Content (W/W): $\geq 50\%$ - $\leq 100\%$	Skin Corr./Irrit.: Cat. 2
CAS Number: 25068-38-6	Eye Dam./Irrit.: Cat. 2A
	Skin Sens.: Cat. 1A
	Aquatic Acute: Cat. 2
	Aquatic Chronic: Cat. 2

#### 4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: Eye irritation, skin irritation, allergic contact dermatitis

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

#### 5. Fire-Fighting Measures

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Specific hazards:

carbon monoxide, carbon dioxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## 6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

---

## 7. Handling and Storage

### Handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

Protection against fire and explosion:

The product does not contribute to the spreading of flames, nor is it self combustible, not explosive.

### Storage

Suitable materials for containers: High density polyethylene (HDPE), tinned carbon steel (Tinplate)

Further information on storage conditions: Keep only in the original container in a cool, well-ventilated place. Protect from direct sunlight. Store protected against freezing.

---

## 8. Exposure controls and personal protection

### Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

**Eye protection:**

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

**Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

**General safety and hygiene measures:**

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

---

## 9. Physical and Chemical Properties

Form: highly viscous  
Colour: colourless, opaque  
Odour: characteristic  
Odour threshold: No applicable information available.

pH value: not applicable

Boiling point: > 100 °C

Flash point: > 100 °C

Flammability (solid/gas): not highly flammable

Lower explosion limit: not applicable

Upper explosion limit: not applicable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Self heating ability: It is not a substance capable of spontaneous heating.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Vapour pressure: not applicable

Density: 1.00 - 1.20 g/cm<sup>3</sup>  
(20 °C)

Bulk density: not applicable

BASF Safety data sheet  
Date / Revised: 12.03.2016  
Product: **MasterTop 1200 PART A**

Version: 2.0

(30586685/SDS\_GEN\_AU/EN)

Date of print 13.03.2016

Miscibility with water: immiscible  
Hygroscopy: Non-hygroscopic  
Viscosity, dynamic: 1,000 - 15,000 mPa.s

**Other Information:**

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

**Conditions to avoid:**

See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

**Substances to avoid:**

strong acids, strong bases, strong oxidizing agents

Corrosion to metals: No corrosive effect on metal.

**Hazardous reactions:**

The product is stable if stored and handled as prescribed/indicated.

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Acute toxicity

**Assessment of acute toxicity:**

Virtually nontoxic after a single ingestion.

### Irritation

**Assessment of irritating effects:**

Eye contact causes irritation. Skin contact causes irritation.

### Respiratory/Skin sensitization

**Assessment of sensitization:**

Sensitization after skin contact possible.

### Germ cell mutagenicity

**Assessment of mutagenicity:**

The chemical structure does not suggest a specific alert for such an effect.

### Carcinogenicity

Assessment of carcinogenicity:

Based on the ingredients there is no suspicion of a carcinogenic effect in humans.

### **Reproductive toxicity**

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect.

### **Developmental toxicity**

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

### **Other relevant toxicity information**

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

## **12. Ecological Information**

### **Ecotoxicity**

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. May cause long-term adverse effects in the aquatic environment. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Mobility**

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

### Bioaccumulation potential

Bioaccumulation potential:

Because of the product's consistency and low water solubility, bioavailability is improbable.

### Additional information

Other ecotoxicological advice:

Acutely toxic for aquatic organisms. Do not discharge product into the environment without control.

## 13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

## 14. Transport Information

### Domestic transport:

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains EPOXY RESIN)

### Further information

Hazchem Code:3Z

IERG Number:47

### Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains EPOXY RESIN)

### Air transport

IATA/ICAO

Hazard class:	9
---------------	---



---

BASF Safety data sheet  
Date / Revised: 12.03.2016  
Product: **MasterTop 1200 PART A**

Version: 2.0

(30586685/SDS\_GEN\_AU/EN)

Date of print 13.03.2016

Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains EPOXY RESIN)

**Further information**

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

---

## 15. Regulatory Information

**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

**Registration status:**

AICS, AU released / listed

---

## 16. Other Information

---

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.