

Safety data sheet

Page: 1/10

BASF Safety data sheet

Date / Revised: 18.02.2017

Product: **MasterRoc MG 100**

Version: 3.0

(30617676/SDS_GEN_AU/EN)

Date of print 19.02.2017

1. Substance/preparation and manufacturer/supplier identification

MasterRoc MG 100

Use: Product for construction chemicals

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

| Skin corrosion/irritation: Cat. 2

| Serious eye damage/eye irritation: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word:

| Danger

Hazard Statement:

| Causes serious eye damage. Causes skin irritation.

Precautionary Statements (Prevention):

| Wear protective gloves and eye/face protection. Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

| IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Other hazards which do not result in classification:

| If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Preparation based on: modified cement mortar

Hazardous ingredients

| calcium oxide

| | |
|--------------------------------------|---|
| Content (W/W): $\geq 7\%$ - $< 15\%$ | Skin Corr./Irrit.: Cat. 2 |
| CAS Number: 1305-78-8 | Eye Dam./Irrit.: Cat. 1 |
| | STOT SE: Cat. 3 (irr. to respiratory syst.) |

| magnesium oxide

| | |
|-------------------------------------|---------------------------|
| Content (W/W): $\geq 0\%$ - $< 3\%$ | Acute Tox.: Cat. 5 (oral) |
| CAS Number: 1309-48-4 | |

| Cement, portland, chemicals

| | |
|--------------------------------------|---|
| Content (W/W): $\geq 5\%$ - $< 10\%$ | Skin Corr./Irrit.: Cat. 2 |
| CAS Number: 65997-15-1 | Eye Dam./Irrit.: Cat. 1 |
| | STOT SE: Cat. 3 (irr. to respiratory syst.) |

4. First-Aid Measures

General advice:

| First aid personnel should pay attention to their own safety. Remove contaminated clothing.

If inhaled:

| After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Obtain medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Additional information:

Product itself is non-combustible. Only the packaging materials can catch fire. The extinguishing agents normally used are sufficient.

Specific hazards:

Product is not combustible or explosive. No particular hazards known.

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Avoid dust formation. Avoid contact with skin and eyes. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

Sweep/shovel up.

7. Handling and Storage

Handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Protection against fire and explosion:

No special precautions necessary.

Storage

Suitable materials for containers: Paper/Fibreboard

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

8. Exposure controls and personal protection

Components with occupational exposure limits

calcium oxide, 1305-78-8;

TWA value 2 mg/m³ (ACGIHTLV)

TWA value 2 mg/m³ (AU NOEL)

TWA value 2 mg/m³ (OEL (AU))

diiiron trioxide, 1309-37-1;

TWA value 5 mg/m³ (OEL (AU)), fumes/smoke

Measured as: iron (Fe)

TWA value 5 mg/m³ (ACGIHTLV), Respirable fraction

TWA value 5 mg/m³ (AU NOEL), fumes/smoke

Measured as: iron (Fe)

magnesium oxide, 1309-48-4;

TWA value 10 mg/m³ (ACGIHTLV), Inhalable fraction

TWA value 10 mg/m³ (OEL (AU)), fumes/smoke

TWA value 10 mg/m³ (AU NOEL), fumes/smoke

carbon, 7440-44-0;

TWA value 2 mg/m³ (ACGIHTLV), Respirable fraction

TWA value 3 mg/m³ (OEL (AU)), Respirable dust

TWA value 3 mg/m³ (AU NOEL), Respirable dust

Containing no asbestos and < 1% crystalline silica.

TWA value 10 mg/m³ (ACGIHTLV), Inhalable particles

TWA value 3 mg/m³ (ACGIHTLV), Respirable particles

Cement, portland, chemicals, 65997-15-1;

TWA value 1 mg/m³ (ACGIHTLV), Respirable fraction
 The value is for particulate matter containing no asbestos and <1% crystalline silica.
 TWA value 10 mg/m³ (AU NOEL), Inhalable dust
 This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
 TWA value 10 mg/m³ (OEL (AU)), Inhalable dust

Fumes, silica, 69012-64-2;

TWA value 2 mg/m³ (AU NOEL), Respirable dust
 TWA value 2 mg/m³ (AU NOEL), Respirable dust
 amorphous silica
 TWA value 2 mg/m³ (OEL (AU)), Respirable fraction

Quartz (SiO₂), 14808-60-7;

TWA value 0.025 mg/m³ (ACGIHTLV), Respirable fraction
 TWA value 0.1 mg/m³ (AU NOEL), Respirable dust
 See Silica, Crystalline.
 TWA value 0.1 mg/m³ (AU NOEL), Respirable dust
 (OEL (AU)), dust
 Included in the regulation, but with no data values - See the regulation for further details
 TWA value 0.1 mg/m³ (OEL (AU))

Personal protective equipment

Respiratory protection:

| Breathing protection if dusts are formed.

Hand protection:

| nitrile coated cotton gloves (e.g. EN 388, 374)

Eye protection:

| Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

| Body protection must be chosen based on level of activity and exposure., light protective clothing

General safety and hygiene measures:

| Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

9. Physical and Chemical Properties

Form: powder
 Colour: grey

| | |
|----------------------------|---|
| Odour: | characteristic |
| Odour threshold: | Not determined due to potential health hazard by inhalation. |
| pH value: | >= 11 (>= 1 %(m), 20 °C) |
| Boiling point: | not applicable |
| Flash point: | not applicable |
| Flammability (solid/gas): | not flammable |
| Lower explosion limit: | not applicable |
| Upper explosion limit: | not applicable |
| Thermal decomposition: | No decomposition if stored and handled as prescribed/indicated. |
| Self ignition: | not self-igniting |
| Self heating ability: | It is a substance capable of spontaneous heating. |
| Explosion hazard: | not explosive |
| Fire promoting properties: | not fire-propagating |
| Vapour pressure: | not applicable |
| Density: | 2.2 g/cm ³ (20 °C) not applicable |
| Bulk density: | 1,500 - 2,000 kg/m ³ |
| Miscibility with water: | not (e.g. <10%) |
| Hygroscopy: | Non-hygroscopic |
| Viscosity, dynamic: | not applicable |
| Solids content: | 100 % |
| Other Information: | If necessary, information on other physical and chemical parameters is indicated in this section. |

10. Stability and Reactivity

- Conditions to avoid:
- | See MSDS section 7 - Handling and storage.
 - | Thermal decomposition: No decomposition if stored and handled as

| prescribed/indicated.

| Substances to avoid:

| strong bases, strong acids

| Corrosion to metals: No corrosive effect on metal.

| Hazardous reactions:

| The product is stable if stored and handled as prescribed/indicated.

| No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

| Assessment of acute toxicity:

| Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Irritation

| Assessment of irritating effects:

| Skin contact causes irritation. May cause severe damage to the eyes.

| Information on: Cement, portland, chemicals

| Experimental/calculated data:

| Skin corrosion/irritation rabbit: Irritant.

| Information on: Cement, portland, chemicals

| Experimental/calculated data:

| Serious eye damage/irritation rabbit: irreversible damage

Respiratory/Skin sensitization

| Assessment of sensitization:

| There is no evidence of a skin-sensitizing potential. The product has not been tested. The statement has been derived from the properties of the individual components.

| Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-life is unlikely.

Germcell mutagenicity

| Assessment of mutagenicity:

| The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

Specific target organ toxicity (single exposure):

Remarks: Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.
The product gives rise to pH shifts. Based on available Data, the classification criteria are not met.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.
Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Not applicable for inorganic substances.

Inorganic product which cannot be eliminated from water by biological purification processes. The product is slightly soluble in water. It can be largely eliminated from the water by abiotic processes, e.g. mechanical separation.

Elimination information:

not applicable

Bioaccumulation potential

Assessment bioaccumulation potential:

The product will not be readily bioavailable due to its consistency and insolubility in water.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Completely emptied packagings can be given for recycling.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

