

# Safety data sheet

Page: 1/8

BASF Safety data sheet

Date / Revised: 08.04.2016

Product: **MasterSeal CR 435 PART B**

Version: 1.0

(30653793/SDS\_GEN\_AU/EN)

Date of print 08.04.2016

## 1. Substance/preparation and manufacturer/supplier identification

### MasterSeal CR 435 PART B

Use: Product for construction chemicals

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:

Skin sensitization: Cat. 1

Hazardous to the aquatic environment - acute: Cat. 2

Hazardous to the aquatic environment - chronic: Cat. 2

Label elements and precautionary statement:

Pictogram:



Signal Word:

Warning

BASF Safety data sheet  
Date / Revised: 08.04.2016  
Product: **MasterSeal CR 435 PART B**

Version: 1.0

(30653793/SDS\_GEN\_AU/EN)

Date of print 08.04.2016

**Hazard Statement:**

May cause an allergic skin reaction. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

**Precautionary Statements (Prevention):**

Wear protective gloves. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid release to the environment. Contaminated work clothing should not be allowed out of the workplace.

**Precautionary Statements (Response):**

IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician. Take off contaminated clothing and wash it before reuse. Collect spillage.

**Precautionary Statements (Disposal):**

Dispose of contents/container to hazardous or special waste collection point.

**Other hazards which do not result in classification:**

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

### 3. Composition/information on ingredients

**Chemical nature**

Preparation based on: polyol

**Hazardous ingredients**

1,3-Benzenediamine, 2(or 4)-methyl-4,6(or 2,6)-bis(methylthio)-  
Content (W/W):  $\geq 7\%$  -  $< 10\%$       Acute Tox.: Cat. 4 (oral)  
CAS Number: 106264-79-3                      Skin Sens.: Cat. 1  
   Aquatic Acute: Cat. 1  
   Aquatic Chronic: Cat. 1

---

### 4. First-Aid Measures

**General advice:**

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

**If inhaled:**

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

**On skin contact:**

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

**On contact with eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

BASF Safety data sheet  
Date / Revised: 08.04.2016  
Product: **MasterSeal CR 435 PART B**

Version: 1.0

(30653793/SDS\_GEN\_AU/EN)

Date of print 08.04.2016

**On ingestion:**

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

**Note to physician:**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

**Suitable extinguishing media:**

foam, water spray, dry powder, carbon dioxide

**Unsuitable extinguishing media for safety reasons:**

water jet

**Specific hazards:**

carbon dioxide, carbon monoxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

**Special protective equipment:**

Wear a self-contained breathing apparatus.

**Further information:**

The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## 6. Accidental Release Measures

**Personal precautions:**

Do not breathe vapour/aerosol/spray mists. Wear eye/face protection. If exposed to high vapour concentration, leave area immediately. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

**Environmental precautions:**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

**Methods for cleaning up or taking up:**

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

---

## 7. Handling and Storage

### Handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

### Storage

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight.

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

No occupational exposure limits known.

### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

#### Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures:

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

## 9. Physical and Chemical Properties

Form: liquid  
Colour: grey

BASF Safety data sheet  
Date / Revised: 08.04.2016  
Product: **MasterSeal CR 435 PART B**

Version: 1.0

(30653793/SDS\_GEN\_AU/EN)

Date of print 08.04.2016

Flash point: The product has not been tested.

Flammability (solid/gas): not highly flammable

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Self ignition: not self-igniting

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Density: 1.02 - 1.08 g/cm<sup>3</sup>

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:

strong acids, strong bases, strong oxidizing agents, strong reducing agents

Hazardous reactions:

The product is stable if stored and handled as prescribed/indicated.

No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Based on available Data, the classification criteria are not met. The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation

Assessment of irritating effects:

No irritation is expected under intended use and appropriate handling. Based on available Data, the classification criteria are not met.

### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Germ cell mutagenicity**

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

### **Carcinogenicity**

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

### **Reproductive toxicity**

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

### **Developmental toxicity**

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:

No reliable data was available concerning repeated dose toxicity. Based on available Data, the classification criteria are not met.

### **Other relevant toxicity information**

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

---

## **12. Ecological Information**

### **Ecotoxicity**

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

### **Mobility**

Assessment transport between environmental compartments:

No data available.

BASF Safety data sheet  
Date / Revised: 08.04.2016  
Product: **MasterSeal CR 435 PART B**

Version: 1.0

(30653793/SDS\_GEN\_AU/EN)

Date of print 08.04.2016

### Bioaccumulation potential

Assessment bioaccumulation potential:  
Discharge into the environment must be avoided.

### Additional information

Other ecotoxicological advice:  
Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

## 13. Disposal Considerations

Observe national and local legal requirements.  
Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:  
Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

## 14. Transport Information

### Domestic transport:

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 3,5-DIMETHYLTHIO-2,4-TOLUENEDIAMINE)

### Further information

Hazchem Code:3Z  
IERG Number:47

### Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains 3,5-DIMETHYLTHIO-2,4-TOLUENEDIAMINE)

### Air transport

IATA/ICAO

BASF Safety data sheet  
Date / Revised: 08.04.2016  
Product: **MasterSeal CR 435 PART B**

Version: 1.0

(30653793/SDS\_GEN\_AU/EN)

Date of print 08.04.2016

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S. (contains 3,5-DIMETHYLTHIO-2,4-TOLUENEDIAMINE)

#### **Further information**

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

---

## **15. Regulatory Information**

### **Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

### **Registration status:**

AICS, AU released / listed

---

## **16. Other Information**

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.