

Safety data sheet

Page: 1/9

BASF Safety data sheet

Date / Revised: 12.06.2015

Product: **MASTERTOP TC 450 PART B**

Version: 2.0

(30454440/SDS_GEN_AU/EN)

Date of print 12.06.2015

1. Substance/preparation and manufacturer/supplier identification

MASTERTOP TC 450 PART B

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Acute toxicity: Cat. 4 (oral)

Acute toxicity: Cat. 4 (dermal)

Skin corrosion/irritation: Cat. 1B

Skin sensitization: Cat. 1

Hazardous to the aquatic environment - acute: Cat. 3

Hazardous to the aquatic environment - chronic: Cat. 3

Acute toxicity: Cat. 4 (Inhalation - mist)

Label elements and precautionary statement:

Pictogram:



Signal Word:

BASF Safety data sheet
 Date / Revised: 12.06.2015
 Product: **MASTERTOP TC 450 PART B**

Version: 2.0

(30454440/SDS_GEN_AU/EN)

Date of print 12.06.2015

Danger**Hazard Statement:**

Causes severe skin burns and eye damage. Harmful in contact with skin. Harmful if inhaled. Harmful if swallowed. May cause an allergic skin reaction. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe dust/gas/mist/vapours. Do not breathe mist or vapour. Avoid release to the environment. Do not breathe dust or mist. Contaminated work clothing should not be allowed out of the workplace. Wash with plenty of water and soap thoroughly after handling. Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

Call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Wash with plenty of soap and water. IF ON SKIN (or hair): Wash with plenty of soap and water. Take off immediately all contaminated clothing. IF SWALLOWED: rinse mouth. Take off contaminated clothing and wash before reuse.

Precautionary Statements (Storage):

Store locked up.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Preparation based on: 3-aminomethyl-3,5,5-trimethylcyclohexylamine

Hazardous ingredients**Benzyl alcohol**

Content (W/W): $\geq 25\%$ - $< 50\%$
 CAS Number: 100-51-6

Flam. Liq.: Cat. 4
 Acute Tox.: Cat. 4 (oral)
 Acute Tox.: Cat. 4 (Inhalation - mist)
 Acute Tox.: Cat. 4 (dermal)
 Eye Dam./Irrit.: Cat. 2A
 Aquatic Acute: Cat. 3

1,3-Benzenedimethanamine

BASF Safety data sheet
 Date / Revised: 12.06.2015
 Product: **MASTERTOP TC 450 PART B**

Version: 2.0

(30454440/SDS_GEN_AU/EN)

Date of print 12.06.2015

Content (W/W): $\geq 3\%$ - $< 10\%$
 CAS Number: 1477-55-0

Acute Tox.: Cat. 4 (oral)
 Acute Tox.: Cat. 4 (Inhalation - mist)
 Acute Tox.: Cat. 5 (dermal)
 Skin Corr./Irrit.: Cat. 1B
 Eye Dam./Irrit.: Cat. 1
 Skin Sens.: Cat. 1B
 Aquatic Acute: Cat. 3

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Content (W/W): $\geq 50\%$ - $< 75\%$
 CAS Number: 2855-13-2

Acute Tox.: Cat. 4 (oral)
 Acute Tox.: Cat. 4 (dermal)
 Skin Corr./Irrit.: Cat. 1B
 Eye Dam./Irrit.: Cat. 1
 Skin Sens.: Cat. 1A
 Aquatic Acute: Cat. 3
 Aquatic Chronic: Cat. 3

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

BASF Safety data sheet
Date / Revised: 12.06.2015
Product: **MASTERTOP TC 450 PART B**

Version: 2.0

(30454440/SDS_GEN_AU/EN)

Date of print 12.06.2015

Specific hazards:
See MSDS section 7 - Handling and storage.

Special protective equipment:
Wear a self-contained breathing apparatus.

Further information:
The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Handle in accordance with good building materials hygiene and safety practice.

Environmental precautions:
Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.
For large amounts: Pump off product.

7. Handling and Storage

Handling

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.

Protection against fire and explosion:
The product does not contribute to the spreading of flames, nor is it self combustible, not explosive.

Storage

Suitable materials for containers: tinned carbon steel (Tinplate)
Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect from direct sunlight. Store protected against freezing.

8. Exposure controls and personal protection

Components with occupational exposure limits

1,3-Benzenedimethanamine, 1477-55-0;

BASF Safety data sheet
Date / Revised: 12.06.2015
Product: **MASTERTOP TC 450 PART B**

Version: 2.0

(30454440/SDS_GEN_AU/EN)

Date of print 12.06.2015

CLV 0.1 mg/m³ (ACGIHTLV)
Skin Designation (ACGIHTLV)
The substance can be absorbed through the skin.
Peak limitation 0.1 mg/m³ (OEL (AU))
Skin Designation (OEL (AU))
The substance can be absorbed through the skin.
Skin Designation (AU NOEL)
The substance can be absorbed through the skin.
Peak limitation 0.1 mg/m³ (AU NOEL)

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Do not inhale gases/vapours/aerosols. Avoid contact with the skin, eyes and clothing. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

9. Physical and Chemical Properties

Form: liquid
Colour: pale yellow, clear
Odour: product specific
Odour threshold: No applicable information available.

pH value: neutral to slightly alkaline

Boiling point: No data available.

Flash point: > 100 °C

Flammability (solid/gas): No data available.

BASF Safety data sheet
Date / Revised: 12.06.2015
Product: **MASTERTOP TC 450 PART B**

Version: 2.0

(30454440/SDS_GEN_AU/EN)

Date of print 12.06.2015

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Vapour pressure: not applicable

Density: 1.01 g/cm³
(20 °C)

Relative density: 1.01

Bulk density: not applicable

Solubility (qualitative) : insoluble

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:
See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:
zinc, aluminium, oxidizing agents, strong alkalies, acids

Hazardous reactions:
The product is stable if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:
Of moderate toxicity after short-term skin contact. Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation.

Irritation

Assessment of irritating effects:
Corrosive! Damages skin and eyes.

Respiratory/Skin sensitization

Assessment of sensitization:
Sensitization after skin contact possible.

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:
Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility

Assessment transport between environmental compartments:
The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet
Date / Revised: 12.06.2015
Product: **MASTERTOP TC 450 PART B**

Version: 2.0

(30454440/SDS_GEN_AU/EN)

Date of print 12.06.2015

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

13. Disposal Considerations

Observe national and local legal requirements.

Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

14. Transport Information

Domestic transport:

Hazard class:	8
Packing group:	III
ID number:	UN 2735
Hazard label:	8
Proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (contains ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE))

Further information

Hazchem Code:2X

IERG Number:36

Sea transport

IMDG

Hazard class:	8
Packing group:	III
ID number:	UN 2735
Hazard label:	8
Marine pollutant:	NO
Proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (contains ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE))

Air transport

IATA/ICAO

BASF Safety data sheet
Date / Revised: 12.06.2015
Product: **MASTERTOP TC 450 PART B**

Version: 2.0

(30454440/SDS_GEN_AU/EN)

Date of print 12.06.2015

Hazard class:	8
Packing group:	III
ID number:	UN 2735
Hazard label:	8
Proper shipping name:	AMINES, LIQUID, CORROSIVE, N.O.S. (contains ISOPHORONEDIAMINE, M-PHENYLENEBIS(METHYLAMINE))

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

Registration status:

AICS, AU released / listed

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The data do not describe the product's properties (product specification). Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.