

**Declaration of Performance**

according Annex III of the regulation (EU) No 305/2011  
amended by Commissions delegated Regulation (EU) No. 574/2014

For the system "**MasterTop 1273**"

---

No. **127301**

---

1. Unique identification code of the product-type:  
**EN 13813: 2002: SR-B1.5-AR1-IR4**

---

2. Intended use/es:  
**Synthetic resin screed for internal uses**

---

3. Manufacturer:  
**BASF Coatings GmbH  
Donnerschweer Str. 372  
D-26123 Oldenburg**

---

4. System/s of assessment and verification of constancy of performance (AVCP):  
**System 4 for internal uses  
System 3 for reaction to fire**

---

5. Harmonised standard:  
**EN 13813: 2002**

---

6. Notified body/ies:  
For the reaction to fire:  
**MPA Dresden (0767)**

---

7. Declared performances determined in System build-up MasterTop 1273:

Essential characteristics	Performance	System of assessment and verification of constancy of performance	Harmonisierte technische Spezifikation
Reaction to fire	Bfl-s1	System 3	EN 13813:2002
Release of corrosive substances	SR	System 4	
Water permeability	NPD		
Wear resistance	≤ AR1		
Bond strength	≥ B1,5		
Impact resistance	≥ IR4		
Sound insulation	NPD		
Sound absorption	NPD		
Thermal resistance	NPD		
Chemical resistance	NPD		

**NPD: No Performance Determined**

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

Appropriate Technical Documentation to reaction to fire:

No. 20140132/02, 20140132/03, 20140132/01

Fulfilled requirements: Bfl-s1

Thickness max. of the flooring system: 5 mm

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



Gwénaél Jan  
 Technical Marketing and Services Manager  
 Performance Flooring Europe

Kaisten, 01.07.2016

**Annex:**

Technical data sheets for use in buildings (system build-ups according to respective technical data sheets)