



We create chemistry

January 1, 2014

**MasterSeal® TC 295 (Formerly Conipur 295 UV)
Product Information Statement for LEED® 2009 Credit Documentation**

MasterSeal® TC 295 is a two component polyurethane aliphatic top coat for use interior or exterior.

BASF Corporation certifies the following information for MasterSeal® TC 295:

Recycled Content

MasterSeal® TC 295 recycled content is not available at this time and should be assumed to be 0% for the purposes of LEED reporting.

Solar Reflective Index

MasterSeal® TC 295 Gray has a Solar Reflective Index (SRI) **greater than 29**.

Regional Materials

MasterSeal® TC 295 is manufactured in **Brighton, CO 80216**. Raw material extraction and processing location is not available at this time.

VOC Content

MasterSeal® TC 295 has a VOC (Volatile Organic Compound) content of less than 50 g/L.

Based upon the above information, BASF Corporation certifies that MasterSeal® TC 295 could contribute to the following LEED NC Credits:

SS Credit 7.1: Heat Island Effect: Non-Roof

IEQ Credit 4.2: Low Emitting Materials: Paints & Coatings

Respectfully,

LEED Administrator

BASF Corporation

Tel: 800-243-6739



"LEED" is a trademark of the
U.S. Green Building Council

BASF Corporation
Construction Systems
889 Valley Park Drive
Shakopee, MN 55379

MASTER®
» BUILDERS
SOLUTIONS