



Road & Rail

Solutions for Underground Construction





Master Builders Solutions from BASF

The Master Builders Solutions brand brings all of BASF's expertise together to create chemical solutions for new construction, maintenance, repair and renovation of structures. Master Builders Solutions is built on the experience gained from more than a century in the construction industry.

The know-how and experience of a global community of BASF construction experts form the core of Master Builders Solutions. We combine the right elements from our portfolio to solve your specific construction challenges. We collaborate across areas of expertise and regions and draw on the experience gained from countless construction projects worldwide. We leverage global BASF technologies, as well as our in-depth knowledge of local building needs, to develop innovations that help make you more successful and drive sustainable construction.

The comprehensive portfolio under the Master Builders Solutions brand encompasses concrete admixtures, cement additives, solutions for underground construction, waterproofing solutions, sealants, concrete repair & protection solutions, performance grouts, performance flooring solutions.


Global Underground Construction Team

BASF, with its global underground construction team, is a world leader in the provision of reliable, customer-oriented solutions focused on your needs in the tunneling and mining industries. We recognise that your success is underpinned by our ability to deliver solutions that meet or exceed your critical needs. By accompanying you from the start of your project and understanding the issues that are important to you, we can contribute to your success. We support you with product training and quality control, and our professional technical services team is on hand around the clock, helping you with specialist technical advice and trouble shooting.





Introduction



Railways have formed the backbone of public transport since their widespread introduction in the 19th century. Demand for railway transportation is constantly on the increase, particularly in urban areas where commuter networks are being expanded and introduced, the latter especially in Asia and South America. High speed railways are likewise on the increase, with a reduction in travel time being a key factor for passengers today. These developments not only require the construction of new built tunnels, but also the updating and refurbishment of existing infrastructure, including the separation of passenger and freight traffic to allow for faster passenger travel.

The motor vehicle remains the primary method of transport

for many, and with more than 50% of the world population living in cities today, the need to expand road networks to avoid traffic and congestion is greater than ever. City bypasses, which often require tunneling, are on the rise as is the use of underground space, not only for metro networks but also for roads. Furthermore, motorway networks are constantly being expanded, often needing tunnels in mountainous or hilly areas.

BASF's commitment is to contribute to the construction of safe, robust and sustainable underground structures, not only by providing specialty chemicals for underground construction, but also by providing expert engineering advice at every stage of a project: during planning, the construction phase and through to completion.

Mastering underground construction challenges requires the right partner. Continuous innovation and customized solutions ensure that customers using Master Builders Solutions operate successfully, and to the highest safety standards.



Solutions for the construction of running tunnels – TBM method



Mechanized tunneling is the safest and quickest way of tunneling especially under difficult geological conditions and in urban areas. The optimum TBM (Tunnel Boring Machine) performance is achieved by combining both mechanical and chemical engineering. BASF provides specialty chemicals for safe and efficient TBM tunneling.

Soil conditioners

EPB (Earth Pressure Balance) tunneling requires the correct use of soil conditioners to reduce cutterhead torque and tool abrasion and increase advance rates.

- MasterRoc SLF foams
- MasterRoc ACP anti-clay agents
- MasterRoc SLP polymers

In addition, the MasterRoc SLP range offers superabsorber modified polymers. They have the ability to absorb and retain large volumes of free water, facilitating the conveying of the excavated ground and compensating the lack of fines by acting as binding agents and enhancing lubrication properties. Used at very low concentration they have the ability to dry out free water in highly permeable soils. They are also suitable for the sealing of the excavation face during

hyperbaric interventions in combination with the injection of bentonitic/filler slurries.

Anti-wear and Anti-dust

Hard rock TBMs as well as soft ground TBMs may experience excessive wear and high temperatures of the cutting tools. MasterRoc ABR anti-wear agents ensure a longer cutter life and a dust-free working environment, especially for hard rock TBMs.

Tail sealants

The TBM tail shield needs to be sealed against water, soil and annulus grout ingress. MasterRoc TSG Tail sealants have been developed to ensure reliable sealing together with the brush system.

Main bearing greases

Every main bearing needs to be protected and lubricated as this is the most costly part of the TBM. MasterRoc BSG sealing greases and MasterRoc EPB lubrication greases are also available in a renewable raw material version, leading the industry towards the highest environmental standards.



Annulus grouts

When the segmental lining is installed inside the TBM, the space between the ground and the segments – the annulus gap – must be filled in an efficient and reliable way to prevent settlements. In most cases, this space is filled by a cementitious grout, for which BASF provides a full range of admixtures (retarders, accelerators, superplasticizers and air entrainers) which ensure a reliable and easy to handle grout formulation.

Concrete segments

High performing concrete additives are necessary to ensure not only durability but also efficient production. The Zero Energy system combines products and technical expertise to enhance concrete durability and achieve energy savings in the form of productivity, power and efficient use of resources:

- MasterGlenium hyperplasticiser

- MasterMatrix viscosity modifying admixture
- MasterFinish form release agents
- Master X-Seed advanced accelerator

In addition, the accelerated curing process makes steam treatment unnecessary. This reduces energy consumption and equipment requirements while increasing productivity and improving work safety.

Injection

Pre-injecting the ground is an important measure to stabilize fractured rock and to prevent water ingress, especially in geological fault zones. Post-injection on a TBM can be used for emergency ground support and consolidation, void filling, water stopping and concrete repair.



Solutions for the construction of running tunnels – drill & blast method



Sprayed concrete lining

Sprayed concrete applications must ensure safety and be formulated to last. Master Builders Solutions offers a wide range of admixtures for addition during concrete batching and on site.

- MasterRoc SA alkali-free set accelerators to accelerate the setting and hardening of the sprayed concrete, providing high early strength gain and long-term strength development, as well as reducing dust and rebound levels.
- MasterGlenium water-reducing superplasticizer for reduced accelerator consumption, reduced bleeding and lower levels of segregation of sprayed concrete.
- MasterRoc HCA cement hydration control system to maintain the open time of sprayed concrete for up to 72 hours.
- MasterRoc TCC 780 pumping aid for improved thixotropy of the sprayed concrete mix, eliminating the risk of segregation, thus improving pumpability.
- MasterRoc TCC 735 concrete improving admixture for substantial reduction of initial shrinkage, enhanced bonding characteristics and for increased density and compressive strength.
- MasterRoc MS microsilica and colloidal silica for improved pumpability and workability and less rebound of sprayed concrete in the fresh state, while reducing permeability and increasing density and long-term strength performance in the hardened state.
- MasterFiber structural polypropylene and steel fibers for enhanced load absorption capability and cracking resistance of sprayed concrete linings.
- MasterRoc LUB 1 pump lubrication aid for lubricating concrete pumps, hoses and pipelines prior to concrete pumping or spraying.



Sprayable waterproofing membrane

MasterSeal 345 is a double-bonded sprayable waterproofing membrane, and establishes a new concept for waterproofing. It can resolve technical problems which have proved difficult with conventional sheet membranes, by preventing the migration of water on either side of the membrane.

Application areas:

- New tunnels
- Refurbishment projects
- Cross passages
- Tunnel intersections

This innovative membrane is particularly suitable for projects with limited space due to the clearance outline. It brings great benefits for concrete structures with complex geometries, offering a flexible and continuous waterproofing system without discrete joints, water stops or compartmentalization. Furthermore, MasterSeal 345 is also compatible with most other waterproofing systems.

Injection solutions for water stopping and ground consolidation

Pre-injection: unexpected water ingress and poor ground conditions cause significant delays, escalate costs, and can have a negative influence on the environment. To counteract these risks, an economical approach is to pre inject the ground ahead of the advancing face.

- MasterRoc MP microcements for pre-injection application, providing extremely effective penetration into fine cracks in rock and fine grained soils.
- MasterRoc MP 320 and MP 325 colloidal silica gels (“mineral grouts”) for water sealing and ground stabilization in jointed rock and fine grained soils, as a supplement to microcement injection.

Post-injection: water stopping and ground consolidation

- MasterRoc MP 350 series of polyurethanes and the fire resistant MasterRoc MP 360 series of polyurea silicates for water stopping and sealing, strata consolidation and cavity filling applications.



Admixtures for ready-mix concrete

Master Builders Solutions admixtures aid in the production of high-strength, durable concrete – a prerequisite for intricate architectural designs. They render unnecessary the mechanical compacting by vibration allowing the concrete to flow, thus increasing performance and making it easier to use. They aid in the curing process of the concrete, preventing the concrete's components from segregating. After curing they leave the concrete with a smooth and clean surface – and ensure an extremely long service life for the construction. The increased energy efficiency, higher concrete durability and better construction process contributes to reducing CO² emissions and save time and costs.

- MasterGlenium superplasticizer to provide high water reduction and slump retention, accelerated strength development and extended workability without delayed setting characteristics.
- MasterMatrix advanced rheology control solutions for self-compacting concrete.
- MasterPozzolith to plasticize, accelerate or retard concrete, improving its performance and making it more uniform and predictable.
- MasterPolyheed water reducing admixture to ensure superior workability and finishing. It improves concrete performance with a wide range of cements, fly ashes, granulated slags, and aggregates, including coarse and manufactured sands.
- MasterRheobuild to impart rheoplastic qualities to concrete and to improve the pumpability of fresh concrete.
- MasterFinish form release agents to enhance the appearance of pre-cast and poured in place concrete by allowing easy separation from the concrete surface.



Coatings, finishing and surface solutions



Master Builders Solutions offers coating and finishing solutions for road tunnels from its MasterTop, MasterSeal and MasterProtect product ranges.

Ranging from epoxy acrylic to geo-polymer coatings, these finishing solutions provide numerous benefits:

- Surface hardening and sealing
- Smooth finish to facilitate cleaning and maintenance
- High dirt pick up resistance
- High abrasion resistance for water jet cleaning
- Resistance to freeze-thaw cycles and de-icing salts
- Protection against concrete carbonation



Tunnel refurbishment



Injection solutions for concrete repair and protection

Crack repair

- MasterRoc MP series of acrylic resins for permanent and instant sealing of the finest cracks in concrete, for curtain injection behind leaking tunnel linings and diaphragm walls, as well as for the stabilization of weak soil and sand and sealing off of water.
- MasterInject epoxy resins for structural crack repair, often used in conjunction with MasterBrace or MasterEmaco products.

Concrete repair and protection to prolong the life span of concrete structures

- MasterEmaco repair solutions resist cracking and are compatible with the base structure.
- MasterProtect protection solutions comprise passive cathodic protection, anti-carbonation and protective coating and can be used on both existing and new concrete to prolong its life cycle.

Concrete and masonry structural strengthening

- MasterBrace composite strengthening solutions for increased load bearing capacity, high load limits of floors and seismic retrofit for concrete and masonry.

Structural repair solutions

Particularly in the case of rail tunnels, the minimum clearance outline leaves little space for new final linings. This requires the old lining to be excavated in small sections and reapplied without increasing its thickness. Sprayed concrete as a final lining combined with the MasterSeal 345 sprayable waterproofing membrane is an ideal solution (see pages 6 and 7), not only due to the minimal thickness of the sprayed concrete lining, but also because the sprayable waterproofing membrane can be applied in small sections, which is not feasible with a sheet membrane.



Training and Education

BASF brings extensive know-how gained through worldwide experience in solving challenging situations in mechanized tunneling.

In addition, support is offered frequently for clients, contractors and consultants by offering technical training courses and specialized seminars.

Whenever required, and especially in the case of large projects, tailored on-site training can be organized.

Technical Services

BASF supplies more than just specialty products for underground construction, assisting in the selection of the most suitable combination of products for each project specific geology, as well as providing start-up supervision and site support.

More brochures on our underground construction solutions are available at www.ugc.basf.com

Documentation available on request:

- Reference list
- Project reports
- Technical data sheets
- Design guidelines
- Method statements



Master Builders Solutions de BASF para la Industria de la Construcción

MasterAir

Soluciones completas para concreto con aire incorporado.

MasterBrace

Soluciones de refuerzo del concreto

MasterCast

Soluciones para la industria de productos de concreto prefabricado.

MasterCem

Soluciones para la fabricación de cemento.

MasterEase

Soluciones completas para concreto con baja viscosidad.

MasterEmaco

Soluciones para la reparación de concreto.

MasterFinish

Soluciones para el tratamiento de encofrados.

MasterFlow

Soluciones para grouts de precisión.

MasterFiber

Soluciones integrales para concreto reforzado con fibra.

MasterGlenium

Soluciones para hiperfluidificantes para concreto.

MasterInject

Soluciones para concreto lanzado.

MasterKure

Soluciones para el curado de concreto.

MasterLife

Solucion para una mayor durabilidad.

MasterMatrix

Soluciones avanzadas controladoras de la reología del concreto autocompactante.

MasterPel

Soluciones para concreto impermeable.

MasterPolyheed

Soluciones para concreto de alto rendimiento.

MasterPozzolith

Soluciones para la reducción de agua en el concreto.

MasterProtect

Soluciones para la protección del concreto.

MasterRheobuild

Soluciones para superfluidificantes para concreto.

MasterRoc

Soluciones para construcción subterránea.

MasterSeal

Soluciones para impermeabilización y sellado.

MasterSet

Soluciones para el control de hidratación del cemento.

MasterSure

Soluciones para el control de trabajabilidad.

MasterTop

Soluciones para suelos industriales y comerciales.

Master X-Seed

Soluciones avanzadas de aceleradores de para concreto prefabricado.

Ucrete

Soluciones para suelos en ambientes agresivos.

Los datos contenidos en esta publicación se basan en nuestros conocimientos y experiencias actuales. No constituyen un contrato de calidad de los productos y, en vista de los muchos factores que puede afectar el procesamiento y aplicación de nuestros productos, no exime a los usuarios de la responsabilidad de llevar a cabo sus propias investigaciones y pruebas. La responsabilidad sobre la calidad de los productos se basa únicamente en los datos de la ficha técnica. Las descripciones, diagramas, fotografías, datos, proporciones, pesos, etc que figuran en esta publicación pueden cambiar sin información previa. Es responsabilidad del receptor de nuestros productos asegurar que se respetan los derechos de propiedad y las leyes y normativas en vigor (08/2013).

BASF Química Colombiana S.A.

Calle 99 # 69 C- 32
Bogotá, Colombia
Tel: + 571 634 2099

BASF Ecuatoriana S.A.

Avenida Naciones Unidas E-230
entre Núñez de Vela e Iñaquito,
edificio Metropolitan, 8vo piso,
oficinas 808, 809 y 810.
Tel : + 593 2397 9500

BASF Venezolana S.A.

Circunvalación del Sol, Centro
Profesional Santa Paula, PB, Espacio
Express, Local 4, Caracas - Venezuela
Tel: + 58 212 935 8306

Visite nuestra página web:

Colombia: www.master-builders-solutions.basf.com.co

Venezuela: www.master-builders-solutions.basf.com.ve

Ecuador: www.master-builders-solutions.basf.com.ec